

Alpha ESS Co., Ltd.

Email: info@alpha-ess.com
Website: www.alphaess.com
No. 1086 Bihua Road, Tongzhou District, Nantong City,
Jiangsu Province, 226300, P.R. China

Alpha ESS International Pte. Ltd.

Email: singapore@alpha-ess.com 16 Science Park Drive,#05-01 DNV GL Technology Centre, Singapore 118227

Alpha ESS Europe GmbH

Email: contact@eu.alpha-ess.com Website: www.alphaess.de Alfred-Herrhausen-Allee 3-5, 65760 Eschborn

Alpha ESS Australia Pty. Ltd.

Email: techsupport@alphaess.au Website: www.alphaess.au 8/15-21 Gibbes Street, Chatswood, NSW 2067 Australia

Alpha ESS South Africa (Pty) Ltd

Email: measervic@alpha-ess.com Johannesburg, South Africa

Alpha ESS Malaysia SDN. BHD.

Email: info@alpha-ess.com

Plot 49 & 63, Lorong Perusahaan 2b, Kulim

Industrial Estate, 09000 Kulim, Kedah, Malaysia







in @AlphaESS



www.alphaess.com

V04.26112025 | Text and images correspond to the current state of technology at the time of printing. Subject to modifications. All information is without guarantee in spite of careful editing - liability excluded.



WE DO MORE THAN STORE ENERGY WE MAKE IT SMART

OUR VISION

- Become a world-leading green energy storage solution and service provider.
- Make clean energy accessible to 100 million people in 10 years.

01 our STORY

core STRATEGY

3 ALPHA HOME

ALPHA C&I and UTILITY

O1 OUR STORY



Who We Are

AlphaESS is a leading global green energy storage solution and service provider. With expertise in BMS, EMS, system integration, and cloud monitoring, we excel in providing tailored solutions for a wide range of applications, including residential, commercial & industrial, and utility-scale projects.

AlphaESS has 40+ subsidiaries and branches worldwide, including China, Germany, Australia, Italy, the United Kingdom, South Africa, Singapore, Malaysia, and more. With over 200,000 systems actively running across 130+ countries, we have built a comprehensive global supply chain and logistics network.



130 +
Countries & Regions



200,000 + Systems Installed Globally



15 +
Years of Industry Experience



250 +
Patents in the ESS fiel



Residential Energy Storage
Provider in Australia



Residential Energy Storage Provider in Germany



Global Residential Storage Provider



Tier 1 Energy Storage

Manufacturer

by BloombergNEF 2025



The Most Recommended

Brand in Germany







TOP BRANE

iF & Reddot & G-mark
Design Award

TOP BRAND PV (STORAGE & INVERTERS)

Our History

2012

Established in Nantong, China

2013

1st Generation BMS, EMS, and AlphaCloud Platform 2016

Commercial Energy Storage Project Launched

2017

- Large Air-cooled Energy Storage Container System
- Italian Subsidiaries Established
- 3rd Generation Residential ESS



2014

1st All-in-One Residential ESS



2015

European & Australian Subsidiaries Established 2018

Myanmar Rural Electrification Project *

* Named as a Finalist for the SmarterE Award in 2020





2019

Top 1 Residential ESS Provider in Australia (by SunWiz Research)

2020

Overseas Headquarters Established in Singapore 2023

Overseas Production Center Put into Operation



2024

20ft 5MWh Liquid-cooling Energy Storage

2025

2021

- 4th Generation Residential ESS
- Top 5 Residential ESS Provider in Germany (by EUPD Research)

2022

5th Generation Residential ESS



Global Presence



Subsidiaries

Production Centers

China: Nantong (Tongzhou & Qidong),

Ulangab, Yunnan

Malaysia: Kulim



R&D Centers

Nantong, Suzhou, Nanjing, Tianjin, Xian

Global Service Network

Key Networks

- Asia: China, Singapore, Malaysia, The Philippines, Myanmar, Indonesia, Uzbekistan, Japan
- Europe: Germany, United Kingdom, Italy, Benelux, France, Czech Republic, Spain
- Oceania: Australia, New Zealand, Fiji, New Caledonia
- Americas: United States, Guam, Hawaii, Colombia
- Africa: South Africa, Kenya, Nigeria



New Zealand





*China: Nantong (Tongzhou & Qidong), Suzhou, Nanjing, Ulanqab, Beijing, Tianjin, Shenzhen, Guangzhou, etc.



Localization

Local Service Experience through a Global Network

We strive to provide our customers with seamless end-to-end services through our comprehensive localized service network, which offers convenient services including demand analysis, customized solutions, spare parts supply, professional training, warehouse management, fault analysis, and efficient maintenance. Our dedication lies in maximizing the utilization of our customers' systems and ensuring an exceptional service experience.



Remote Maintenance



Troubleshooting



Installation Training



Technical Support



Automatic Updates



Warranty Service

Core Technologies

AlphaESS masters core technologies including BMS, EMS, system integration and the monitoring platform. Its product lines cover micro, residential, commercial and industrial, and utility-scale energy storage, offering ESS solutions ranging from 1 kilowatt to hundreds of megawatts for the global market.



Major **Technical Areas**



Battery Management System (BMS)



Energy Management System (EMS)



Monitoring Platform



System Integration



Major **Product Lines**



Utility-scale Energy Storage Systems



Commercial and Industrial Energy Storage Systems




Residential Energy Storage Systems




Micro Energy Storage Systems

CORE STRATEGY



Smart Energy

Digital Intelligent Management Architecture



Safe and Reliable

Material Safety

Secure the energy storage

Only first class, reliable **LiFePO**₄ cell will be used 02

System Safety

Secure the quality and performance







Site Survey & Ther
Design Enviror

Thermal & Real-Time
Environmental Monitoring
Control



Tiered Alarms

Multiple Fire Protection



Product Insurance







03

Workplace Safety

Secure the green, smart, and sustainable future

- Integrate safety controls with intelligent devices to minimize human operation risks and enhance safe production.
- EHS in practice with everyone involved: trainings, accountability, and occupational health
- Less emission with clean and efficient production

04_

Testing Safety

Leave no stone unturned

Battery Safety

- Compression Crash Tests
- · Overcharge and Overdischarge Tests
- · Short-Circuit Tests

EMS Safety

- EMC Tests
- Fault Waveform Recording

 Tests
- Hardware-in-loop Simulation
 Tests

Structural Safety

- · Structural Strength Verification
- · System Structural Simulation
- Structural Design Short/Long-term
 Testing Verification

Electrical Safety

- · Short-Circuit Tests
- · Overload Temperature Rise Tests
- · Insulation Withstand Voltage Tests

Fire Safety

- Thermal Runaway and
 Propagation Tests
- Multi-dimensional Perception
 Detection Tests
- · UL9540A Certification Tests

Environmental Reliability

- Low Pressure Tests
- · Salt Spray Tests
- Temperature Shock & Humidity
 Cycling Tests

Service Leading



One-Stop Customer Service

Focusing on products, technology, customer relations, sustainability, and internationalization, we provide personalized and comprehensive one-stop service to ensure customers have an excellent experience throughout the purchase, use, and maintenance of our energy storage systems.



Customer Service Package — AlphaCare

The AlphaCare package is tailored for our end customers and partners, providing comprehensive services in technical support, financing plan, marketing etc..

• Technical Support:

Dedicated customer service from start to finish with our OSC (Online Service Center).

Marketing Support:

Impactful co-branded initiatives to maximize brand exposure and early product upgrade info to stay competitive.

· AlphaCloud:

A lifetime-free energy management and monitoring platform for all AlphaESS systems.

· AlphaPartner:

Exclusive service platform for AlphaESS' parnters including distributors and installers.



further details.

Account



Instant Messaging



Work Order Management





Active User Community

Low-Carbon Smart Park Platform



3 ALPHA HOME

- · All-in-One Energy Storage System
- · PV-Storage-Charging Solution
- · Balcony Energy Storage System
- · Portable Power Station

Residential Series

AlphaESS provides energy storage solutions ranging from 1 to 20 kW for households. With the AlphaCloud monitoring platform, users can fully enjoy the economic benefits and convenience of smart energy management.



SMILE Product Series

- S tronger Output
- M odular Configuration
- ntelligent Management
- ong Lifespan
- **E** fficient Operation



Easy Installation

All-in-One Design
Plug & Play Wiring System
Built-in SPD



Flexible Expansion

Modular System

Bypass for Faulty Battery

No Need for SOC Calibration



Cutting-Edge VPP

Tailored API for Dynamic VPP Scheduling
Fast FCAS
Global Compatibility*



All-in-One Energy Storage System

First-Generation

2014-2021



Next-Level Innovation

2022-2025



Your Almighty Knight

SMILE-G3 Series



Stackable Innovation for Quick Setup

SMILE-M5 Series



Tailored for Weak-Grid Regions

SMILE-X Series (Pre-release)

SMILE-G3 Series

YOUR ALMIGHTY KNIGHT

SMILE-G3-S3.6 / S5 / B5 / S8 SMILE-G3-T4 / 5 / 6 / 8 / 10 SMILE-G3-T12 / 15 / 20

SMILE-G3 series offers single-phase solutions ranging from 3.6 to 8 kW and three-phase solutions from 4 to 20 kW for home energy storage, catering to both AC and DC coupled scenarios. It covers a comprehensive range of needs including self-consumption for residential homes, peak-valley arbitrage, dual power supply with diesel generators, VPP (Virtual Power Plant) scheduling, solar storage charging, and solar storage heating.







HIGHER EFFICIENCY BRINGING MORE PROFITS





Datasheet



Capacity: 3.8 - 60.5 kWh



8.2 - 49.2 kWh



SMILE-G3-T4/5/6/8/10

Three Phase: 4/5/6/8/10 kW

Capacity: 3.8 - 49.2 kWh

Datasheet





SMILE-G3-T12 / 15 / 20

Three Phase: 12/15/20 kW Capacity: 7.7 - 49.2 kWh

Datachoo





More Profits

- 200% PV Input
- MPPT Shadow Scanning
- High Voltage Battery with Higher RTE (Roud-Trip-Efficency)



Energy Independence

- Seamless On/Off-Grid Switchover < 20ms
- UPS Peak Overloading up to 200%
- Dual Power Supply (Grid & Generator)



Smart IoT

- VPP-Ready with Very Fast FCAS
- Dynamic Tariff Ready
- PV-Storage-Charging Solution

Available in: Australia, Germany, UK, Italy, Belgium, Czech, The Philippines, Thailand, China, Middle East, Africa, Latin America, etc.

EARN MORE FROM YOUR SMART ENERGY

With integrated partners, SMILE G3 supports dynamic tariffs and virtual powerplant programs-turning your battery into a profit engine.

- VPP-ready system with automatic trading participation
- Dynamic tariff optimization for lower costs
- Dynamic balancing + SOC calibration = better trading performance







SMILE-G3-EVCS7
SMILE-G3-EVCT11

Single Phase / 7 kW
Three Phase / 11 kW



User-Friendly

- · Easy installation
- · High compatibility
- Keycard or AlphaCloud launching for propriet ary identification
- · 7m-long charging cable



Higher Profits

- · 100% green energy consumption
- · Subsidy available
- Lifetime-free upgrading online



Multiple Charging Modes

- · Green mode: EV charged only by solar energy or battery
- · Fast mode: First priority for EV charging
- ECO mode: Customized timers and fixed power



atasheet





Available in: EU, UK



SMILE-M5-S SMILE-M5-B

System Power Battery Module

5 kW 5 kWh, 51.2V, 100Ah

Single Phase 13.9 kWh, 48V, 314Ah

System Configuration

5-30 kWh

13.9-55.6 kWh

Warranty

10 Years Warranty





High Returns, Full Utilization

- · 100% Depth of Discharge
- · 200% PV Oversizing



Smart Safety Protection

- · Aerosol Fire Defense
- · 10+ Hardware & software Protections



Fast & Easy Setup

- · Stackable Design, 50% faster install
- · 3–5 min One-Touch Commissioning



Reliable & Durable

- · IP65 Dust & Water Resistant
- · 10-Year Warranty



Available in: Australia, UK, China

Datasne

PIONEER OF ALL-IN-ONE SYSTEM

SMILE5 has made green living a reality for $\mathbf{35,000}$ + families worldwide

with 560+ MWh total installed capacity



YOUR BEST SOLUTION FOR RETROFITTING PV SYSTEM

SMILE-B3-Plus

Single Phase: 3 kW

Capacity: 5.04 - 30.24 kWh

Available in: Australia, UK, China

· Built-in Battery & Inverter

· Space-saving & Light Weight

· High Compatibility with Solar Systems





Datasheet

ALPHACLOUD

MONITORING PLATFORM

AlphaCloud is a lifetime-free platform (for App and Web) where you can easily manage every device connected to AlphaESS systems. As soon as a device is plugged in, AlphaCloud reads its information and prepares all the possible configurations for you, so that you can learn about or change your energy plan anytime, anywhere.



- Exploit the full potential of your PV system
- · Intelligent 24/7 monitoring to increase self-consumption
- Set parameters and join VPP



Remote troubleshooting and upgrades



Enjoy a smart home with IoT compatibility



Data Security

BALCONY SOLAR ENERGY SYSTEM

Plug into a greener lifestyle, one balcony at a time

Discover a smarter way to power your home with the AlphaESS Vitapower Series. Perfect for urban living, this innovative system fits seamlessly on your balcony, storing enough energy to keep your lights on and your devices charged during peak hours. With its sleek, all-in-one design and effortless plug-and-play setup, you can start saving on electricity bills in minutes—no professional help needed. Harness clean, renewable energy, shrink your carbon footprint, and take control of your energy usage, all from the comfort of your home!



VitaPower VT1000

 $1 \text{kW} / 2 \text{kW} \cdot 1 - 6 \text{kWh}$

All-in-One Design:

Built-in Battery, Micro-Inverter,
DC Power Controller, and LCD

Versatile Applications:

On-Grid and Off-Grid

Plug & Play

Stackable Expansion

Safe & Reliable:

Durable Metal Casing &

Extended Warranty Service



AlphaESS Capa

Battery Parameters

Capacity 1024 Wh
Battery Chemistry LiFePO₄
Ingress Protection IP65

- · UPS-level off-grid switching time <10ms
- · Support AC-coupled in balcony microinverter systems
- · On-grid and off-grid applications



Available in: Germany Brochure























04

ALPHA C&I and Utility

EXPERT FOR ALL APPLICATION SCENARIOS

Generation Side


- · Smooth Wind & PV Power Output
- Maximizing Wind & PV Utilization
- Thermal Power Storage Frequency
 Modulation
- Active Power Control and Reactive
 Power Compensation

Network Side

- · Peak Shaving and Frequency Modulation
- Improving Power Quality and System
 Reliability
- Maintaining Voltage Stability of the Transmission Network
- Extending the Lifespan of Transmission
 Equipment
- · Alleviating Peak Load Demand

Behind-the-Meter

- · Peak-Valley Arbitrage
- · Backup Power
- · Dynamic Expansion
- · Virtual Power Plant (VPP)
- Microgrid
- Ancillary Services



MASTER OF ADAPTATION



Applicable Terrains



Desert

Mountain



Gobi Desert



Dlai



Plateau



Coastline



Applicable Climates



Hot & Dry



Cold & Humid



Thunderstorms



Heavy Snowfall



Salt Fog



Sandstorms

LARGE C&I PROJECT INVESTMENT MODEL

Client Self-Investment

AlphaESS is responsible for project construction and technical support; the ownership of the project and all profits belongs to the client.



Third-party Investment / EMC (Energy Management Contract)

The ownership of the project belongs to the third-party investor, while the user client, with zero investment and operating costs, share peak-valley arbitrage profits with the investor, thereby reducing energy loss and saving electricity costs.




AlphaESS Investment

AlphaESS invests and provides EPC contract, energy storage systems, and professional intelligent operation and maintenance services.



CREATING VALUE FOR OUR CLIENTS

- · Comprehensive Energy Solutions for the Full Lifecycle
- One-Stop Customized Service
- · Integrated Management




Full

Lifecycle

Service

Technical

- · Preliminary Data Collection
- · On-Site Survey
- · Equipment Selection
- · Initial Project Design
- · Technical Proposal Preparation



- · Expert Proposal Analysis
 - · Economic Assessment
 - · Establish Development Intentions
 - · Signing of Relevant Agreements




- · Core R&D Team
- · AlphaESS Core C&I Products
- · System Commissioning and Testing
- Product Shipment and Delivery




Professional Construction

- · Lean Construction
- · Professional Debugging
- · On-Grid Operation
- · Compliant with Industry Standards and Specifications
- · Low-Carbon Smart Park Platform Management



- · Software R&D Team
- · Operation Data Statistics and Optimization
- · Local Offices for Rapid Maintenance
- · Intelligent Monitoring of System Operation
- · Electricity Cost and Revenue Calculation



Low-Carbon Smart Park Platform

The software platform functions as a digital hub and control panel for everything within an industrial park. Its Al algorithms ensure neat data analysis and informed decision-making, which increases the revenue of energy projects, reduces energy consumption, and facilitates the maintenance of equipment.



Main Customers:

- · Industrial Enterprises
- · Industrial Real Estate / O&M Investors
- · District / County Government
- Energy Projects / O&M Investors





Innovative Technologies:

- · Distributed Energy Storage Virtual Power Plant Technology
- · Industrial Park / Plant Digital Twin
- · Integrated Platform
- · Integrated Alarm System for All Facilities
- · Integrated Surveillance Cameras / Access Control / Fire Protection System
- · Integrated System Management
- · Collaborative System Update and Optimization



Targeted Pain Points:

- · Construction without integrated planning.
- · Multi-platform operation and maintenance in parks / factories.
- Efficient operation and maintenance management, revenue and cost saving of multi-projects.
- By providing an integrated platform covering all the issues above, AlphaESS provides the best smart park management solution for business owners.

ALPHA C&I and Utility



Alpha C&I and Utility Solutions

For 30kW+ applications, AlphaESS C&I and utility-scale solutions can work in sync with wind and solar resources, significantly improving the self-consumption rate of clean energy, smoothing out power supply-demand fluctuations. They can also be integrated with advanced technologies such as smart energy management platforms and the Internet of Things (IoT), facilitating the transformation of energy structure and providing crucial support for achieving carbon neutrality goals.



High Energy Density



Cell-Level Constant Temperature Control



Enhanced Electrical Protection



Intelligent Fire Protection

ALPHA C&I Solutions

StaX-M50

Flexible to Install. Hassle-Free Maintenance.

Powered by World's first Stackable Battery and Unique BMS functionality, the M50 series gives end to end customers with stability and more possibilities to handle varied needs. The modular design can easily fit into different site requirements with a simple stack and start installation.

• Effortless Installation with Modular Design

The modular design ensures seamless adaptation to various site requirements, enabling a simple stackand-start installation process.

Advanced Software for Maximum Efficiency

Our cutting-edge software protects against profit loss by addressing key challenges:

- · Prevents capacity degradation due to SOC differences.
- · Avoids system shutdowns caused by a single battery failure.
- Enhances savings on electricity bills with a more flexible EMS strategy.



Model	StaX-M50	
Rated Power	50 kW	
Rated Energy	108.54-217.08 kWh	
Ingress Protection	IP66	
Battery Type	LiFePO ₄	
Fire Protection	Aerosol	
System Power	160%, 10s overload capacity 100% unbalance output	
Warranty	5 years for system 10 years for battery	
PV	4MPPT 8 string 40A input current 200% PV oversizing	
Battery Module		

- 70% Faster Installation: No battery rack or wiring needed — just stack and start
- Self-optimizing Batteries: Hassle-free
 Maintenance
- Easy Expansion: Free you from timeconsuming capacity balancing
- Boost Lifetime Output: Automated diagnostics & calibration for SOC consistency
- · 200% PV input to boost profits



Air-Cooled All-in-One Cabinet

Model	STORION-H30/H50-G3
Rated Power	30/50 kW
Rated Energy	72.3~120.5 kWh, Expandable up to 241 kWh (H30-G3) 96.4~120.5 kWh, Expandable up to 241 kWh (H50-G3)
Ingress Protection	IP20
Battery Type	LiFePO ₄
Fire Protection	Aerosol + Smoke / Temperature Detection
Battery Module	M77314-S



- · All-in-One Design
- · Optimal for Multi-Direction Roof
- · Multiple System Operation Monitoring
- $\cdot\,$ Max 10 systems in on-grid parallel, 4 systems in off-grid parallel



Model	STORION-G2-H50	
Rated Power	50 kW	
Rated Energy	6.9 kWh Battery Module 55.29 / 110.59 kWh	
	8.0 kWh Battery Module 104.8 / 209.6 kWh	
Ingress Protection	IP20	
Battery Type	LiFePO ₄	
Fire Protection	Smoke / Temperature	
Battery Module	M7790-S / M38210-SC	



- · All in One Design
- · Support Multi-Direction Roof
- · Multiple System Operation Monitoring
- · Max 5 systems in on-grid parallel, 3 systems in off-grid parallel





Model	STORION-LC-TB125
Rated Power	125 kW
Rated Energy	261 kWh
Ingress Protection	IP55
Battery Type	LiFePO ₄
Fire Protection	Aerosol + Sprinkler
Battery Module	M166314-52S-EX

- · All-in-one Design
- · Easily Set Function Parameters
- Safer Intelligent Fire Protection
 System
- Various Operating Modes
 Available For Selection
- Seamless switching to backup(≤
 20ms with STS Cabinet)





Model	STORION-LC261
Rated Charging/Discharging Power	130.6 kW(0.5P)
Rated Energy	261 kWh per Cabinet
Battery Cluster Voltage Range	702 - 936 V
Battery Rack	5 Modules in series
Fire Protection	Aerosol + Sprinkler+ Smoke / Temperature Detection
Battery Module	M166314-52S-EX







Datasheet

Model	STORION-LC-H125
Rated Power	125 kW
Rated Energy	261 kWh
Ingress Protection	IP55
Battery Type	LiFePO ₄
Fire Protection	Aerosol + Sprinkler
Battery Module	M166314-S



- · 200% PV intput oversizing
- · Easily Set Function

· All-in-One Design

· Safer Intelligent Fire

Parameters

Protection System

- · Seamless Switching to
- · System-wide Temperature

backup

Difference within 3°C







- · Flexible Site Layout
- · High Energy Density
- · Dehumidification Design
- · High-Level System Integration

- · Intelligent Heat Management
- Strategy
- · Safer Dual Fire Fighting and

Explosion Deflation Solutions



Datashee

Utility Solutions



Model	STORION-TB250	STORION-TB500
Rated Power	250 kW	500 kW
Rated Energy	235.1-2351.2 kWh	
Ingress Protection	Container: IP54 Cabinet: IP55	
Battery Type	LiFePO4	
Fire Protection	Aerosol	

- Easily Installation
- Seamless Switching (<20ms)
- Easily Set Function Parameters
- Intelligent liquid cooling temperature control
- Various Operating Modes Available For Selection





Liquid-Cooled Battery Container



Model	AlphaCS-H20-DC-LC 2.0
Rated Energy	5015.9 kWh
Ingress Protection	IP55
Charge/Discharge Rate	0.5 P
Battery Type	LiFePO ₄
Fire Protection	Perfluorohexanone + Water
Battery Module	M166314-S

M332314-104S-CN

- · Multiple fire protection systems, battery pack-level suppression
- · Enhanced electrical protection to mitigate shortcircuit risks
- · Liquid cooling design, 20% less energy loss
- · Compatible with various PCS and EMS
- · Cloud-based data management, remote troubleshooting
- · 34% increase in energy density, reducing upfront investment
- · Two op doors, a



Herit	
otions available: back-to-back or double-sided	
adaptable to different station layouts	

Datasheet





Model	Aster 5000	Aster 3720
Rated Energy	5015.9 kWh	3727.3 kWh
Ingress Protection	IP55	
Charge/Discharge Rate	0.5 P	
Battery Type	LiFePO ₄	
Fire Protection	Aerosol + Sprinkler	Aerosol + Sprinkler (Optional: Perfluorohexanone)
Battery Module	M332314-104S-EX	M166280-S





- Low noise
- · High energy density
- · Multiple intelligent fire protection systems
- · Flexible layout, supporting parallel connection
- · Intelligent thermal management strategy
- · External maintenance design, efficient and convenient







Available in: China

Datasheet

1000V Liquid-Cooled Battery Container



Model	AlphaCS-H20-MEA-DC250	AlphaCS-H20-MEA-AC250/500
Rated Energy	Max. 1175.6 kWh	Max. 1410.7 kWh
Ingress Protection	IP54	
Charge/Discharge Rate	0.5P	
Battery Type	LiFePO ₄	
Fire Protection	Aerosol	
Battery Module	M166314-52S-EX	A sees





Model	AlphaCS-H40-MEA-DC500	AlphaCS-H40-MEA-AC500/1000
Rated Energy	Max. 2351.2 kWh	
Ingress Protection	IP54	
Charge/Discharge Rate	0.5P	
Battery Type	LiFePO4	
Fire Protection	Aerosol	
Battery Module	M166314-52S-EX	g _e wants

· All-in-One Design

· Seamless Switching (<20ms)

· Easily Installation

· Flexible layout, supporting parallel connection

- Easily Set Function Parameters management strategy
- · Intelligent liquid cooling temperature control
- · Various Operating Modes Available For Selection



Available in: MEA

Industrial Battery Packs

Liquid-Cooled Battery

Battery Module	M166314-S (0.5C)
Rated Voltage	166.4 V
Rated Power / Rated Energy	26.1 kW / 52.2 kWh
Cycle Life	≥ 6000 (@ 25°C)
Operating Temperature Range	-30°C ~ 50°C
Available in: China	



Battery Module	M166280-S (0.5C)
Rated Voltage	166.4 V
Rated Power / Rated Energy	23.2 kW / 46.5 kWh
Cycle Life	≥ 6000 (@ 25°C)
Operating Temperature Range	-30°C ~ 50°C



Battery Module	M332314-104S(0.5C)
Rated Voltage	332.8 V
Rated Power / Rated Energy	52.2 kW / 104.4 kWh
Cycle Life	≥ 6000 (@ 25°C)
Operating Temperature Range	-30°C ~ 50°C



Air-Cooled Battery







Battery Module	M38210-SC (0.5C)	M38210-S (0.5C)	M7790-S (1C)
Rated Voltage	38.4 V		76.8 V
Rated Power / Rated Energy	4.032 kW / 8.1 kWh		6.912 kW / 6.9 kWh
Cycle Life	≥ 6000 (@ 25°C)		
Operating Temperature Range	-30°C ~ 50°C	-10°C ~ 50°C	-30°C ~ 50°C





Battery Module	M38180-S (1C)
Rated Voltage	38.4 V
Rated Power / Rated Energy	6.912 kW / 6.9 kWh
Cycle Life	≥ 6000 (@ 25°C)
Operating Temperature	-10°C ~ 50°C
Range	

Rated Voltage 38.4 V Operating Voltage 32.4 ~ 42.24V Battery Type LiFePO ₄	Battery Module	M38314-S
Battery Type LiFePO ₄	Rated Voltage	38.4 V
	Operating Voltage	32.4 ~ 42.24V
May Charging/Discharging 157 A	Battery Type	LiFePO ₄
Current	Max. Charging/Discharging	157 A

140MW / 280MWh + 80MW / 160MWh Peak Shaving and Frequency Regulation Ulanqab, Inner Mongolia













- 50MW / 100MWh PV + Storage Anlu, Hubei, China
 - 5MW / 10MWh PV + Storage Nanjing, Jiangsu, China
- 100kW / 206kWh PV + Storage + Genset Abu Dhabi, The UAE
- 100kW / 250kWh Off-Grid PV + Storage Moomba, SA, Australia



Scan the QR code